



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 17, 2016

Jessica Goldberg
Sr. Regulatory Affairs Specialist
Chemisco, Div. of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Notification per PRN 98-10 – Adding additional marketing claims and nine alternate brand names
Product Name: Chemsico Pesticide Granules PL II
EPA Registration Number: 9688-316
Application Date: 1-12-16
Decision Number: 513581

Dear Jessica Goldberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The alternate brand names Black Flag Extreme Lawn Insect Killer Plus Disease Control Granules, Black Flag Lawn Insect Killer Plus Disease Control Granules, Black Flag Insect Killer Plus Disease Control Granules, Black Flag Extreme Lawn Insect Killer Plus Fungus Control Granules, Black Flag Lawn Insect Killer Plus Fungus Control Granules, Black Flag Insect Killer Plus Fungus Control Granules, Black Flag Extreme Lawn Insect Killer Plus Granules, Black Flag Lawn Insect Killer Plus Granules, and Black Flag Insect Killer Plus Granules have been added to the product record.

If you have any questions, you may contact Nathan Mellor at 703-347-8562 or via email at mellor.nathan@epa.gov.

A handwritten signature in black ink that reads "Shaja B. Joyner".

Shaja B. Joyner, Product Manager 20
Fungicide-Herbicide Branch
Registration Division 7505P

CHEMSICO Pesticide Granules PL II

Lawn Fungicide/Insecticide Granules

For outdoor residential use only.

(see back page for list of optional marketing claims)

ALTERNATE BRAND NAMES:

- Black Flag Extreme Lawn Insect Killer Plus Disease Control Granules
- Black Flag Extreme Lawn Insect Killer Plus Fungus Control Granules
- Black Flag Extreme Lawn Insect Killer Plus Granules
- Black Flag Lawn Insect Killer Plus Disease Control Granules
- Black Flag Lawn Insect Killer Plus Fungus Control Granules
- Black Flag Lawn Insect Killer Plus Granules
- Black Flag Insect Killer Plus Disease Control Granules
- Black Flag Insect Killer Plus Fungus Control Granules
- Black Flag Insect Killer Plus Granules

NOTIFICATION

9688-316

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/17/2016

Active Ingredients:

Propiconazole	0.30%
Lambda-cyhalothrin	0.02%
Other Ingredients	99.68%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

NET Wt 10 lb (4.5 kg)

OPTIONAL MARKETING LANGUAGE

[OPTION A

Chemsico Pesticide Granules PL II protects lawns from damaging [diseases] [fungus] and insects. Its formula can actually [prevent] [and] [control] [listed fungi and lawn diseases they cause] [fungus] and kill insects at the same time.]

[OPTION B

Chemsico Pesticide Granules PL II [prevents] [controls] and stops a wide variety of listed [fungi and lawn diseases they cause] [fungus] and insects on lawns. It works against listed fungi and lawn diseases they cause for up to 2 weeks.

[Prevents] [and] [kills][controls] Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust and Leaf Spot

[OPTIONAL PRODUCT FACT BOX]

PRODUCT FACTS

What It Does:

[Prevents] [and] [Kills][Controls] Black Spot, Brown Patch, Rust, Powdery Mildew and Other Listed [Fungi and Lawn Diseases they cause] [Fungus]. Kills Listed Insects on Contact.

Where To Use: (icon outdoors)

Outdoors on Lawns

Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or Visit our Website at www.spectracide.com

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep children and pets off treated area until product has been watered in and lawn is dry.

In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or a stream that drains directly into a coastal marsh.

Three Easy Steps to Use this Product

Step #1: Determine size of job, measure the area to be treated

Step #2: Use spreader setting chart to determine the appropriate setting for your spreader.

Step #3: Treat as indicated in the rate chart. Thorough coverage is important.
Water in granules immediately after application

Note:

- Do not apply more than 3 times per year per location
- Do not allow product to run off from target site or apply within 24 hours of rain.
- Application is prohibited directly into sewers or drains, or to an area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not make applications during rain. Apply this product only to the lawn area. Water after application. Do not water to the point of run-off.

WHEN TO USE

This product is highly effective when it is used to prevent listed fungi and the lawn diseases they cause. Start treating when grass begins to turn green in the spring or when signs of lawn diseases caused by the listed fungi and insect damage are first noticed. For best control treat every two weeks.

HOW TO APPLY

Apply Chemsico Pesticide Granules PL II at a rate of 4 pounds/1000 sq ft over the area to be treated using a properly calibrated drop or rotary-type spreader when conditions are favorable for disease development according to the manufacturer's directions. Check frequently to make sure the spreader is operating properly and distributing product evenly. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Avoid skips and excessive overlaps during application. Water lawn after application.

INSECTS CONTROLLED

Ants [Argentine, Southern, Field, Alleghany mound, Honey, Pavement, Nuisance, Crazy], Armyworms, , Blacklegged ticks, Crickets, Cutworms, Earwigs, Fleas, Japanese Beetle (adults), Grasshoppers, Billbugs, Hyperodes weevils, Mole Crickets, Chinch bugs, Lawn moths (Sod webworms), Leafhoppers, Millipedes, Palmetto bugs, Sowbugs, Mites, , Spittlebugs and Waterbugs.

FUNGI CONTROLLED

Colletotrichum graminicola (Anthracnose), *Rhizoctonia solani* (Brown patch), *Gloeocercospora sorghi* (Copper spot), *Sclerotinia homoeocarpa* (Dollar spot), *Fusarium nivale* (Fusarium Patch), *Laetisaria fuciformis* (Red Patch), *Bipolaris spp.*, *Drechslera spp.* (Leaf spot including septoria, zonate), *Bipolaris spp.*, *Drechslera spp.* (Melting out), *Sclerotium rolfsii* (Crown rot), *Urocystis agropyri* (flag smut), *Erysiphe graminis* (Powdery mildew), *Puccinia graminis* (Rust), *Ustilago striiformis*, (Stripe smut)

STORAGE AND DISPOSAL

Storage: Store in cool, dry place away from heat or open flame. **Disposal: If empty:** Nonrefillable Container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

You may also contact 1-800-917-5438 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[*If you are not satisfied with this product for any reason send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

[Questions or comments? Call 1-800-332-5553]

Made in the USA for Chemsico
 Division of United Industries Corporation
 P.O. Box 142642, St. Louis, MO 63114-0642
 EPA Reg. No. 9688-316

EPA Est. No. 9688-MO-1

© 2016

OPTIONAL MARKETING CLAIMS

1. [Prevents] [and] [Kills] listed fungi and the lawn diseases they cause and insects on lawns
2. [Prevents] [and] [Controls] listed fungi and the lawn diseases they cause and insects on lawns
3. Protects lawns
4. [Prevents] [and] [Kills] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold [and other listed lawn fungi]
5. [Prevents] [and] [Controls] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold
6. Protects home lawns from ants, aphids, crickets and many [other] [more] listed insects
7. Kills harmful insects by contact
8. kills listed insects [insect pests] by contact
9. Protects for up to 2 weeks against listed fungi and the lawn diseases they cause
10. Water-Based
11. *Guaranteed [Results] [to work] or Your Money Back
12. Money Back Guarantee*
13. Dual Action [Formula]
14. Dual insect and lawn fungus control
15. Insect killer plus lawn fungus control
16. 2 uses [in] [with] 1 [product]
17. 2 uses [in] [with] 1 [formula]
18. Controls 2 problems [in] [with] 1 [product]
19. Controls 2 problems [in] [with] 1 [formula]
20. 2 Products in 1
21. Kills major listed insects [by contact]
22. Kills [20] [27] [25+] [more than 25] listed insects [by contact]
23. Controls [major] listed insects [by contact]
24. Controls [20] [27] [25+] [more than 25] listed insects [by contact]
25. [Controls] [and] [Prevents] [all] [major] listed fungi and the lawn diseases they cause
26. [Controls] [and] [Prevents] [all] listed [major] lawn fungus
27. [Controls] [and] [Kills] [all] listed [major] lawn fungus
28. [Controls] [and] [Kills] [all] [major] listed fungi and the lawn diseases they cause
29. [Prevents] [and] [kills] [all] [major] listed fungi and the lawn diseases they cause
30. Kills listed insects and lawn fungus
31. Controls [lawn damaging] insects and [plus] lawn fungus as listed
32. [10lb bag] treats up to 2,500 sq ft
33. [20lb bag] treats up to 5,000 sq ft

Spreader Make and Model	4 lb/ 1000 sq ft
CYCLONE	
Rotary	X
<i>K-GRO</i>	
Rotary	X
Drop	X
REPUBLIC	
EZ Drop #530	X
EZ Drop #540	X
SCOTTS	
SpeedyGreen 2000	X
SpeedyGreen 3000	X
AccuGreen 1000	X
AccuGreen 2000	X
AccuGreen 3000	X
Drop	X
SEARS	
Rotary	X
Drop	X
EARTHWAY	
Rotary	X
PRECISION	
Rotary (#S850)	X
RED DEVIL	
Rotary	X
TRUE TEMPER	
Rotary	X
Rotary	X

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.